

PRE-ASSEMBLED REELS SETUP IN SECONDS



Gain a competitive advantage.



THE LEANREEL DIFFERENCE

Better packaging creates a better overall perception of your product. Vail Industries has developed a new pre-glued corrugated reel that will significantly streamline your packaging requirements.

THE BENEFITS

The LeanReel offers convenience and strength with the added flexibility of space saving storage.

- Ideal for use by extruders for profiles, hoses and other flexible products.
- Eliminates pre-staging of material and indirect labor
- Operators make product and not packaging, improving productivity

Ease of Use:

- Space Saving
- Consistent Assembly Cost
- Safety
- No Stapling
- Minimal Set-up
- Reels go Directly to Production Line

Lower Cost Per Reel:


- Reduction on Total Cost
- Improved Cubic Volume per Reel
- Multiple Trips per Reel

Better Packaging:


- Triple Wall Reinforced Arbor
- Holds More Weight than Traditional Corrugated Reels
- Recyclable, Easily Collapsible
- Patent Protected




LEANREEL SIZE OFFERINGS




4" LEANREEL
Singlewall Flange - 36801




4" LEANREEL
Singlewall Flange - 40713




7" LEANREEL
Doublewall Flange - 35827




7" LEANREEL
Doublewall Flange - 37976




8" LEANREEL
Singlewall Flange - 37957




9" LEANREEL
Singlewall Flange - 38039




9" LEANREEL
Square Doublewall Flange - 34047




9" LEANREEL
Doublewall Flange - 39589



10" LEANREEL
Doublewall Flange - 40713




14" LEANREEL
Doublewall Flange - 42701




15.5" LEANREEL
Doublewall Flange - 39589


POP-UP REEL SIZE OFFERINGS



2.5" POP-UP REEL



5" POP-UP REEL



7" POP-UP REEL

SAMPLE QUOTE

Name _____ Title _____

Company/Organization _____

Street Address _____ City _____

State _____ Zip Code _____ Country _____

Phone _____ Fax _____ Email _____

Reel Traverse _____ Flange Diameter _____ Core OD _____

Arbor Hole Diameter _____ Drive Hole Diameter _____ Arbor-Drive Hole Distance _____

Handholes
 Yes No

Collar Sample
 Yes No

(Standard 20 pt. solid fiber wrap provides protection against marking/kinking of product).

Estimated Net. Wt. on Reel _____ Lbs.

Product Placed on Reel _____

Estimated Annual Usage _____ Pcs.

Please return completed form to justinw@vailpkg.com.

